Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L5	4	2 and 4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/01 14:16
L4	292	(715/511).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/01 14:16
L3	27	function with name with version same library	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/01 14:15
L2	336	function with name with version	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/01 13:34
L1	2	("5266781").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/01 13:33
S1	536	version adj function	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/01 12:47
S33	2	("6457170").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/08 14:24
S32	2	("6457170").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/07 16:05

Google

library version function name | Search | Advanced Search
                                                   Preferences

Web   Results **1 - 10** of about **4,220,000** for <u>library</u> <u>version</u> <u>function</u> <u>name</u>. (0.28 seconds)

HDF5/H5 API Specification
... **Name**: H5check_version; Signature:: herr_t H5check_version (unsigned ...
with the **function** call match the **version** numbers compiled into the **library**. ...
hdf.ncsa.uiuc.edu/HDF5/doc/RM_H5.html - 23k - Feb 27, 2005 - Cached - Similar pages

The Joys of Reusable Code - Maintaining your own **Function Library**
... We'll talk later about maintaining multiple **versions** of the same **library**, ...
Add the **function** to the **library** application. Add the **function name** to BOTH ...
www.clarionmag.com/col/97-07-reusablecode.html - 24k - Cached - Similar pages

S-Lang Run-Time **Library** Reference: **Version** 1.4.0: Informational ...
... This **function** returns the **name** of the currently executing **function**. ...
read-only and whose value represents the **version** number of the S-lang **library**. ...
www.s-lang.org/doc/html/slangfun-6.html - 11k - Cached - Similar pages

Complex C++ **Functions**
... The compiler has built-in **library functions** to accomplish a number of ...
the reference parameter method or the return in the **function name** mechanism. ...
cis.stvincent.edu/swd/basic/**functions**2.html - 12k - Cached - Similar pages .

TagLibraryInfo (JavaServer Pages API Documentation)
... a given **function name**, looking through all the **functions** in this tag **library**.
... The **version** of the JSP specification this tag **library** is written to. ...
jakarta.apache.org/tomcat/tomcat-5.5-doc/ jspapi/javax/servlet/jsp/tagext/TagLibraryInfo.html - 29k - Feb 27, 2005 -
Cached - Similar pages

Libtool - 6 **Library** interface **versions**
... global **functions**: argument types and number, return types, and **function names**
... So, libtool **library versions** are described by three integers: ...
www.csa.iisc.ernet.in/old-website/ Department_Resources/Hypertext/libtool/libtool_6.html - 10k - Cached - Similar pages

ALSA project - the C **library** reference: Global defines and **functions**
... The ALSA **library** implementation uses these macros and **functions**. ... handle,
Library handle, similar to dlsym . **name**, Symbol **name**. **version**, **Version** of ...
www.alsa-project.org/alsa-doc/ alsa-lib/group___global.html - 26k - Cached - Similar pages

ACC97: Error Message: **Function** Isn't Available in Expressions in ...
... of installing a newer type **library version** is installing newer **versions** of
... Action Arguments ------------------------ **Function Name**: CheckRefs() ...
support.microsoft.com/?kbid=194374 - 19k - Cached - Similar pages

Building PDFlib on Unix systems ...
... to rename the generated **library** file in order to avoid **name** clashes when
installing it. ... **function name** prefix which is used in the internal **versions**, ...
www2.dmi.columbia.edu/misc/docs/pdflib/readme_unix.txt - 10k - Cached - Similar pages

::CNS Plug-ins:: **Library** Articles: Checking for Plug-ins
... **function names**, it will ignore any External **Function** calls to plug-ins that are
... The easiest way to do this is to call the plug-ins **Version function**. ...
www.cnsplug-ins.com/**library**.htm?ID=CRnGYJrj - 18k - Cached - Similar pages

Google™

libtool   [Search]   Advanced Search
                                                                 Preferences

Web   Results **1 - 10** of about **788,000** for **libtool**. (0.10 seconds)

GNU Libtool - GNU Project - Free Software Foundation (FSF)
... The CVS version of GNU **libtool** often depends on some yet to be released ...
Before using CVS **Libtool**, you ought to have installed recent versions of GNU ...
www.gnu.org/software/**libtool**/**libtool**.html - 11k - Cached - Similar pages

Libtool
... Using libltdl: **Libtool's** portable dlopen wrapper library. ... With luck,
libtool will be useful to and used by the GNU community, and that the
lessons ...
www.gnu.org/software/**libtool**/manual.html - 101k - Feb 27, 2005 -
Cached - Similar pages
[More results from www.gnu.org]

GNU Autoconf, Automake and Libtool
Online resource for New Riders' GNU Autoconf, Automake and **Libtool**.
sources.redhat.com/autobook/ - 7k - Cached - Similar pages

Autoconf, Automake, and Libtool: Table of Contents
Autoconf, Automake, and **Libtool**: Table of Contents.
sources.redhat.com/autobook/autobook/autobook_toc.html - 30k - Cached - Similar pages
[More results from sources.redhat.com]

freshmeat.net: Project details for Libtool
freshmeat maintains the Web's largest index of Unix and cross-platform open source
software. Thousands of applications are meticulously cataloged in the ...
freshmeat.net/projects/**libtool**/ - 27k - Feb 27, 2005 - Cached - Similar pages

Libtool - Table of Contents
GNU **Libtool**. For version 1.0, 3 July 1997. Gordon Matzigkeit ... Integrating **libtool** with
your own packages. Writing `Makefile' rules for **libtool** ...
cclib.nsu.ru/projects/gnudocs/ gnudocs/**libtool**/**libtool**_toc.html - 6k -
Cached - Similar pages

Libtool
... 1.1 Motivation for writing **libtool** 1.2 Implementation issues ... 5.1 Writing `Makefile' rules
for **libtool** 5.2 Using Automake with **libtool** ...
www.delorie.com/gnu/docs/**libtool**/**libtool**_toc.html - 9k - Feb 27, 2005 -
Cached - Similar pages

Debian -- Debian Package Search Results
... You have searched for packages named **libtool** in all distributions, all sections, and all
architectures. Found 1 matching packages, displaying package 1. ...
packages.debian.org/.../search_packages.pl?searchon=names&
version=all&exact=1&keywords=**libtool** - 5k - Cached - Similar pages

libtool
... **Libtool** supports building static libraries on all platforms. It also includes GNU libltdl, the
libtool dynamic loader library. Obtaining ...
directory.fsf.org/libs/**libtool**.html - 6k - Feb 27, 2005 - Cached - Similar pages

subversions.gnu.org/cgi-bin/cvsweb/libtool/
Similar pages

P⊙RTAL

US Patent & Trademark Office

Search: ○ The ACM Digital Library   ● The Guide

library version function name

SEARCH

THE GUIDE TO COMPUTING LITERATURE

■← Feedback Report a problem Satisfaction survey

Terms used **library version function name**   Found **117,746** of **851,460**

Sort results by | relevance ▼

Display results | expanded form ▼

❧ Save results to a Binder

▣ Search Tips

☐ Open results in a new window

Try an Advanced Search
Try this search in The Digital Library

Results 1 - 20 of 200   Result page: **1** 2 3 4 5 6 7 8 9 10   next
Best 200 shown   Relevance scale ☐ ◰ ◧ ◨ ■

1 Configurable REC   ■
Gerardo Cisneros
May 1994 **ACM SIGPLAN Notices**, Volume 29 Issue 5

Full text available: 📄 pdf(918.63 KB)   Additional Information: full citation, abstract, index terms

> This paper describes CREC, a library of C functions for compiling and executing REC programs whose operators and predicates are provided by the caller. Given a C program with a menu-based interactive interface, REC can be added as a programming language to the user interface by assigning menu choices to REC operators and predicates through entries in a table, and linking in the appropriate functions in CREC. Being a very concise language, REC programs are easy to write in an interactive context. ...

2 A typed representation for HTML and XML documents in Haskell   ■
Peter Thiemann
July 2002 **Journal of Functional Programming**, Volume 12 Issue 5

Additional Information: full citation, abstract

> We define a family of embedded domain specific languages for generating HTML and XML documents. Each language is implemented as a combinator library in Haskell. The generated HTML☐F;XML documents are guaranteed to be well-formed. In addition, each library can guarantee that the generated documents are valid XML documents to a certain extent (for HTML only a weaker guarantee is possible). On top of the libraries, Haskell serves as a meta language to define parameterized documents, to map stru ...

3 Analyzing the security of an existing computer system   ■
Matt Bishop
November 1999 **Proceedings of 1986 ACM Fall joint computer conference**

Full text available: 📄 pdf(583.45 KB)   Additional Information: full citation, references, index terms

4 EPIC compilation: Inlining of mathematical functions in HP-UX for Itanium® 2   ■
James W. Thomas
March 2003 **Proceedings of the international symposium on Code generation and optimization: feedback-directed and runtime optimization**

Full text available: 📄 pdf(783.82 KB)
📄 Publisher Site
            Additional Information: full citation, abstract, references, index terms

> HP-UX compilers inline mathematical functions for Itanium Processor Family (IPF) systems to improve throughput 4X-8X versus external library calls, achieving speeds comparable to highly tuned vector functions, without requiring the user to code for a vector interface and

STIC Search Report

EIC 2100

USPTO

TO: James D Rutten **Location: RND 5A34** **Art Unit : 2122** **Tuesday, March 01, 2005** **Case Serial Number: 09/764526**	**From: Geoffrey St. Leger** **Location: EIC 2100** **Randolph-4B31** **Phone: 23450** **geoffrey.stleger@uspto.gov**

Search Notes

Dear Examiner Rutten,

Attached please find the results of your search request for application 09/764526. I searched Dialog's patent files, technical databases and general files; along with the Internet.

Please let me know if you have any questions.

Regards,

Geoffrey St. Leger
4B30/308-7800

sira
Search and Information
Resources Administration

Set	Items	Description
S1	757260	FUNCTION? ?
S2	30259	LIBRARY OR LIBRARIES
S3	11949	COMPIL??? OR COMPILATION? ?
S4	535232	LINK???
S5	24759	VERSION???
S6	629	(NAMING OR NAME? ?)(3N)(CONVENTION? ? OR FORMAT? ? OR SYNT-AX? ? OR RULE? ?)
S7	15	S1(7N)S6
S8	0	S7 AND S2 AND S3:S4 AND S5
S9	1561	S1(5N)(NAME? ? OR NAMING)
S10	0	S9 AND S2 AND S3:S4 AND S5

```
Set     Items   Description
S1      784085  FUNCTION? ?
S2       68711  LIBRARY OR LIBRARIES
S3       31806  COMPIL??? OR COMPILATION? ?
S4      452198  LINK???
S5      169614  VERSION???
S6        5249  (NAMING OR NAME? ?)(3N)(CONVENTION? ? OR FORMAT? ? OR SYNT-
                   AX? ? OR RULE? ?)
S7         179  S1(7N)S6
S8           0  S7(30N)S2(30N)S3:S4(30N)S5
S9        4616  S1(3N)(NAME? ? OR NAMING)
S10         13  S9(30N)S2(30N)S3:S4(30N)S5
```

```
Set      Items    Description
S1     4695247    FUNCTION? ?
S2      392571    LIBRARY OR LIBRARIES
S3      179284    COMPIL??? OR COMPILATION? ?
S4     1188716    LINK???
S5      382589    VERSION??? ·
S6        1518    (NAMING OR NAME? ?)(3N)(CONVENTION? ? OR FORMAT? ? OR SYNT-
                    AX? ? OR RULE? ?)
S7          26    S1(7N)S6
S8           0    S7 AND S2 AND S3:S4 AND S5
S9        2307    S1(5N)(NAME? ? OR NAMING)
S10          3    S9 AND S2 AND S3:S4 AND S5
```

```
Set     Items     Description
S1     1937846    FUNCTION? ?
S2      869136    LIBRARY OR LIBRARIES
S3      419645    COMPIL??? OR COMPILATION? ?
S4     2163267    LINK???
S5     2046718    VERSION???
S6      15151     (NAMING OR NAME? ?)(3N)(CONVENTION? ? OR FORMAT? ? OR SYNT-
                     AX? ? OR RULE? ?)
S7        179     S1(7N)S6
S8          2     S7(30N)S2(30N)S3:S4(30N)S5
S9         10     S5(30N)S7
S10         8     RD (unique items)
S11     10028     S1(5N)(NAMING OR NAME? ?)
S12        81     S11(30N)S2(30N)S3:S4(30N)S5
S13        64     RD (unique items)
S14        64     S13 NOT PD>20010117
```